

Page 1, please delete the second full paragraph, and replace it with the following new paragraph:

A2 Recently, part of a process in a print control which is to be performed in a printing device such as a printer is generally performed in a host computer. For example, the host computer converts data based on a print request input from an application program (hereinafter, referred to as "AP") into a print control code of a structure which can be read by the printing device, spools a print control code of a structure which can be read by the printing device, spools a print control code after conversion, and sends a despoiled (inversely spooled) print control data to the printing device.

Page 2, please delete the third full paragraph, and replace it with the following new paragraph:

A3 It is further object of the invention to provide recording media for realizing the previewing method or the previewing device in a general-purpose computer device.

IN THE CLAIMS:

Please enter the following amended claims:

- A4 sub B1 1. (Once amended) A method of previewing a print data, comprising the steps of:
obtaining print data which can be printed by a printing device, and spooling the print data into a predetermined memory;
converting the spooled print data into display data of a predetermined structure, and displaying the display data on a displaying device;

A 4 editing the display data which is being displayed, on the basis of edited data which is input at the display; and
inversely converting the edited display data into a structure of the spooled print data.

A 5 3. (Once amended) A previewing method according to claim 1, wherein, when the print data consists of actual print information based on a print request and added-value information which is posteriorly added, said step of editing the display data uses only the added-value information which is being displayed, as an edited object.

4. (Once amended) A previewing method according to claim 3, wherein, the added-value information is template data which can be overlapping printed onto plural allocated pages, said allocated pages being allocated to one print sheet, and, when a position of the template data in one of the allocated pages is changed, the position change is reflected on the other allocated pages.

A 6 6. (Once amended) A previewing method according to claim 3, wherein, the added-value information is template data which can be overlapping printed onto plural allocated pages, said allocated pages being allocated to one print sheet, and the position of the template data in one of the allocated pages is varied, depending on whether the page is an odd page or an even page.

7. (Once amended) A method of previewing a print data, comprising:

A6 spooling means for spooling print data which can be printed by a printing device;

data converting means for converting the spooled print data into display data of a predetermined structure;

display controlling means for displaying the converted display data on a displaying device;

data editing means for editing the display data which is being displayed, on the basis of edited data which is input at the display; and

data inversely converting means for inversely converting the edited display data into a structure of the spooled print data, and

editing means for editing visually a print data based on a print request, wherein said editing means is performed immediately before printing.

A7 9. (Once amended) A previewing device according to claim 7, wherein said data editing means edits display data which are spooled and converted in a predetermined time period.

10. (Once amended) A recording media on which program codes are recorded, wherefore said program codes are read and executed by a computer device, being connected to a printing device, having input means for a data entry and a displaying device, with causing said computer device to perform the following processes:

- A7
- (1) a spool process of spooling print data which can be printed by said printing device;
 - (2) a data conversion process of converting the spooled print data into display data of a predetermined structure,
 - (3) a display control process of displaying the converted display data on said displaying device;
 - (4) a data edition process of editing the display data which is being displayed, on the basis of edited data which is input at the display of said displaying device, through said input means; and
 - (5) data inverse conversion process for inversely converting the edited display data into a structure of the spooled print data.
-

A8

14. (Once amended) A recording media according to claim 13, wherein, the added-value information is template data which can be overlapping printed onto plural allocated pages, said allocated pages being allocated to one print sheet, and, when a position of the template data in one of the allocated pages is changed, the position change is reflected on the other allocated pages.

A9

16. (Once amended) A recording media according to claim 13, wherein, the added-value information is template data which can be overlapping printed onto plural allocated pages, said allocated pages being allocated to one print sheet, and the position of the template data in one of the allocated pages is varied depending on whether the page is an odd page or an even